

\*\*\* 成果表 \*\*\*

路線名 = 12-1 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C1	- 146406.248	- 52923.504	1.459	181-45-15	
C2	- 146407.706	- 52923.549	67.534	181-45-15	
C3	- 146475.209	- 52925.616	83.601	181-45-15	
C4	- 146558.770	- 52928.175	93.796	181-45-15	
C5	- 146652.523	- 52931.046	42.920	181-45-15	
C6	- 146695.423	- 52932.360	40.000	181-45-15	
C7	- 146735.404	- 52933.584	68.043	181-45-15	
C8	- 146803.415	- 52935.667	21.961	249-17-19	
C9	- 146811.182	- 52956.208	64.038	243-58-59	
C10	- 146839.271	- 53013.757			

\*\*\* 成果表 \*\*\*

路線名 = 6-1 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C11	- 146311.985	- 52802.319	4.239	177-39-30	
C12	- 146316.220	- 52802.146	30.848	167-39-30	
C13	- 146346.355	- 52795.552	3.500	167-39-30	
C14	- 146349.774	- 52794.804	65.469	167-35-24	
C15	- 146413.713	- 52780.735	33.076	167-53-27	
C16	- 146446.053	- 52773.796	6.011	167-53-27	
C17	- 146451.930	- 52772.535	12.017	168-36-15	
C18	- 146463.710	- 52770.161	15.665	168- 0-21	
C19	- 146479.033	- 52766.906	8.269	170- 2- 1	
C20	- 146487.177	- 52765.475	8.593	171-56-12	
C21	- 146495.685	- 52764.270	12.466	175-23-17	
C22	- 146508.111	- 52763.268	12.649	179-23-44	
C23	- 146520.760	- 52763.135	19.434	180-59-57	
C24	- 146540.191	- 52763.474	5.526	179-42-45	
C25	- 146545.717	- 52763.446	19.907	179-42-45	
C26	- 146565.623	- 52763.347	11.693	176-43-39	
C27	- 146577.297	- 52762.680	4.524	171-20-59	
C28	- 146581.769	- 52762.000	5.057	168-46-50	
C29	- 146586.729	- 52761.016	16.969	167-39- 1	
C30	- 146603.306	- 52757.387	17.575	170-19-37	
C31	- 146620.631	- 52754.434	2.790	170-19-37	
C32	- 146623.381	- 52753.965			

\*\*\* 成果表 \*\*\*

路線名 = 6-2 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C3	- 146475.209	- 52925.616	47.864	80-51-15	
C33	- 146467.601	- 52878.361	47.621	80-51-15	
C34	- 146460.032	- 52831.345	20.354	76-20-49	
C35	- 146455.227	- 52811.566	38.868	76-20-49	
C16	- 146446.053	- 52773.796			

\*\*\* 成果表 \*\*\*

路線名 = 6-3 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C33	- 146467.601	- 52878.361	40.000	181-45-15	
C36	- 146507.582	- 52879.585	44.246	181-45-15	
C37	- 146551.808	- 52880.940			

\*\*\* 成果表 \*\*\*

路線名 = 6-4 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C4	- 146558.770	- 52928.175	47.745	81-36-56	
C37	- 146551.808	- 52880.940	70.000	81-36-56	
C38	- 146541.601	- 52811.688	27.122	81-36-56	
C39	- 146537.646	- 52784.856	22.880	110-39-18	
C25	- 146545.717	- 52763.446			

\*\*\* 成 果 表 \*\*\*

路線名 = 6-5 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C38	- 146541.601	- 52811.688	39.500	171-36-56	
C40	- 146580.679	- 52805.928	63.828	259-10- 1	
C41-1	- 146592.676	- 52868.619	13.901	259-10- 1	
C41	- 146595.288	- 52882.272			

\*\*\* 成果表 \*\*\*

路線名 = 6-6 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C37	- 146551.808	- 52880.940	43.500	181-45-15	
C41	- 146595.288	- 52882.272	38.088	181-45-15	
C42	- 146633.358	- 52883.438	13.356	231-46-29	
C43	- 146641.622	- 52893.930	2.928	233-48-46	
C44	- 146643.351	- 52896.293	2.933	234-42-55	
C45	- 146645.045	- 52898.687	2.904	236-21-46	
C46	- 146646.654	- 52901.105	2.944	238-32-42	
C47	- 146648.190	- 52903.616	2.993	238-32-29	
C48	- 146649.752	- 52906.169	1.201	238-45-27	
C49	- 146650.375	- 52907.196	23.947	264-51-15	
C5	- 146652.523	- 52931.046			

\*\*\* 成 果 表 \*\*\*

路線名 = 6-7 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C7	- 146735.404 -	52933.584			
C50	- 146726.546 -	52899.469	35.246	75-26-40	
C51	- 146706.168 -	52820.986	81.086	75-26-40	
C132	- 146706.042 -	52820.501	0.501	75-26-40	

\*\*\* 成果表 \*\*\*

路線名 = 6-8 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C52	- 146447.244 -	52971.782	35.873	181-45-15	
C53	- 146483.100 -	52972.880			

\*\*\* 成果表 \*\*\*

路線名 = 6-9 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C53	- 146483.100	- 52972.880	41.799	181-45-15	
C54	- 146524.880	- 52974.160	41.801	181-45-15	
C55	- 146566.661	- 52975.439			

\*\*\* 成果表 \*\*\*

路線名 = 6-10 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C55	- 146566.661	- 52975.439	46.898	181-45-15	
C56	- 146613.537	- 52976.875	46.899	181-45-15	
C57	- 146660.414	- 52978.310			

\*\*\* 成 果 表 \*\*\*

路線名 = 6-11 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C58	- 146502.999	- 53092.072	120.842	80-3 1-18	
C53	- 146483.100	- 52972.880	47.918	80-3 1-18	
C3	- 146475.209	- 52925.616			

\*\*\* 成果表 \*\*\*

路線名 = 6-12 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C59	- 146545.546	- 53097.942	125.496	80-31-18	
C54	- 146524.880	- 52974.160			

\*\*\* 成果表 \*\*\*

路線名 = 6-13 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C60	- 146585.986 -	53091.190	117.353	80-31-18	
C55	- 146566.661 -	52975.439	47.918	80-31-18	
C4	- 146558.770 -	52928.175			

\*\*\* 成 果 表 \*\*\*

路線名 = 6-14 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C61	- 146631.358 -	53083.615	108.218	80-31-18	
C56	- 146613.537 -	52976.875			

\*\*\* 成 果 表 \*\*\*

路線名 = 6-15 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C62	- 146457.275	- 53161.469	80.651	193 - 5-59	
C63	- 146535.827	- 53179.749	62.671	102 - 6-32	
C64	- 146548.974	- 53118.472	20.814	80 -31-18	
C59	- 146545.546	- 53097.942			

\*\*\* 成 果 表 \*\*\*

路線名 = 6-16 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C65	- 146474.482 -	53088.137	28.787	187-51-20	
C58	- 146502.999 -	53092.072	42.950	187-51-20	
C59	- 146545.546 -	53097.942	41.000	170-31-18	
C60	- 146585.986 -	53091.190	46.000	170-31-18	
C61	- 146631.358 -	53083.615	46.000	170-31-18	
C66	- 146676.730 -	53076.040			

\*\*\* 成果表 \*\*\*

路線名 = 6-17 GO

PAGE- 1

点 名		X		Y	距 離	方 向 角	h
C67-1	+	0.000	+	0.000	0.000	0- 0- 0	
C67	+	0.000	+	0.000	0.000	0- 0- 0	
C68	+	0.000	+	0.000	0.000	0- 0- 0	
C66	-	146676.730	-	53076.040	99.082	80-31-18	
C57	-	146660.414	-	52978.310	47.918	80-31-18	
C5	-	146652.523	-	52931.046			

\*\*\* 成果表 \*\*\*

路線名 = 6-18 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C66	- 146676.730 -	53076.040	42.218	170-31-18	
C69	- 146718.372 -	53069.088			

\*\*\* 成果表 \*\*\*

路線名 = 5-1 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C13	- 146346.355	- 52795.552	77.034	257-39-30	
C70	- 146362.820	- 52870.806	33.487	230-33-33	
C71	- 146384.094	- 52896.667	3.000	231- 8-36	
C72	- 146385.976	- 52899.003	2.980	230-34- 7	
C73	- 146387.869	- 52901.305	3.504	230-30- 0	
C74	- 146390.098	- 52904.009	3.003	230-44-39	
C75	- 146391.998	- 52906.334	2.977	230-24-41	
C76	- 146393.895	- 52908.628	2.955	229-38-18	
C77	- 146395.809	- 52910.880	2.944	228-23-15	
C78	- 146397.764	- 52913.081	2.959	227- 1-37	
C79	- 146399.781	- 52915.246	11.478	226-19-54	
C2	- 146407.706	- 52923.549			

\*\*\* 成果表 \*\*\*

路線名 = 4-3 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C36	- 146507.582	- 52879.585	24.571	80-51-15	
C90	- 146503.676	- 52855.326	26.700	118-14-35	
C91	- 146516.311	- 52831.805	11.077	121-55-34	
C92	- 146522.169	- 52822.404	4.087	128-52-42	
C93	- 146524.734	- 52819.222	3.932	131-35-42	
C94	- 146527.344	- 52816.281	3.264	122-34-40	
C95	- 146529.101	- 52813.531	12.634	171-36-56	
C38	- 146541.601	- 52811.688			

\*\*\* 成果表 \*\*\*

路線名 = 4-4 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C41-1	- 146592.676	- 52868.619	29.397	158-25-32	
C96	- 146620.013	- 52857.809	3.340	152-31-25	
C97	- 146622.976	- 52856.268	5.475	142-44-34	
C98	- 146627.334	- 52852.953	11.722	151-48-15	
C99	- 146637.665	- 52847.415	15.123	150-48-21	
C100	- 146650.867	- 52840.038			

\*\*\* 成果表 \*\*\*

路線名 = 4-5 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C6	- 146695.423 -	52932.360	24.990	80-22-53	
C101	- 146691.247 -	52907.721	3.012	80-13-59	
C102	- 146690.736 -	52904.753	3.031	79-26-46	
C103	- 146690.181 -	52901.773	3.025	77-53-31	
C104	- 146689.546 -	52898.815	3.044	77-19- 4	
C105	- 146688.877 -	52895.845	3.067	73-59-11	
C106	- 146688.031 -	52892.897	3.075	71-55-18	
C107	- 146687.077 -	52889.974	3.089	67-37-53	
C108	- 146685.902 -	52887.118	0.996	64-44-45	
C109	- 146685.477 -	52886.217	3.151	61-20- 5	
C110	- 146683.965 -	52883.452	3.113	58-18-22	
C111	- 146682.329 -	52880.803	3.067	55-42- 9	
C112	- 146680.601 -	52878.269	3.027	53-53-53	
C113	- 146678.817 -	52875.823	3.020	53-37-34	
C114	- 146677.026 -	52873.391	3.025	52-35-44	
C115	- 146675.188 -	52870.988	39.362	51-50-20	
C100	- 146650.867 -	52840.038	1.567	51-50-20	
C116	- 146649.899 -	52838.806	2.979	51-58-33	
C117	- 146648.064 -	52836.459	2.965	53-14-40	
C118	- 146646.289 -	52834.083	2.881	56-44-39	
C119	- 146644.709 -	52831.674	2.935	60-10- 3	
C120	- 146643.249 -	52829.128	2.954	61-19- 5	
C121	- 146641.832 -	52826.536	2.933	63-46-34	
C122	- 146640.537 -	52823.905	2.937	66-31-22	

\*\*\* 成果表 \*\*\*

路線名 = 4-5 GO

PAGE- 2

点 名	X	Y	距 離	方 向 角	h
C123	- 146639.367	- 52821.211	2.929	68-14-41	
C124	- 146638.282	- 52818.490	2.931	71-33-11	
C125	- 146637.354	- 52815.709	2.955	73-56-40	
C126	- 146636.537	- 52812.870	9.589	74-57-38	
C127	- 146634.049	- 52803.609	25.088	74-45- 2	
C128	- 146627.450	- 52779.404	25.884	74-43-35	
C31	- 146620.631	- 52754.434			

\*\*\* 成果表 \*\*\*

路線名 = 4-6 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C129	- 146678.944 -	52831.092	12.071	156-18-20	
C130	- 146689.997 -	52826.241	12.846	159- 6-29	
C131	- 146701.998 -	52821.660	4.206	164- 0-21	
C132	- 146706.042 -	52820.501	6.627	164- 0-21	
C133	- 146712.412 -	52818.675	10.160	168-50-52	
C134	- 146722.380 -	52816.710	10.127	172-30-51	
C135	- 146732.421 -	52815.391			

\*\*\* 成果表 \*\*\*

路線名 = 4-7 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C50	- 146726.546	- 52899.469	17.681	165-26-40	
C136	- 146743.660	- 52895.026	8.797	157-55- 1	
C137	- 146751.812	- 52891.719	3.183	148-38-12	
C138	- 146754.530	- 52890.063	6.335	168-22-58	
C139	- 146760.735	- 52888.788	11.385	175-14-34	
C140	- 146772.081	- 52887.844	14.518	186-12- 8	
C141	- 146786.514	- 52889.412	51.154	245- 5-43	
C142	- 146808.055	- 52935.809	4.643	1-45-15	
C8	- 146803.415	- 52935.667			

\*\*\* 成果表 \*\*\*

路線名 = 4-8 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C143	- 146582.327	- 53161.218	10.410	106-53-50	
C144	- 146585.353	- 53151.257	23.577	107- 0-37	
C145	- 146592.250	- 53128.712	38.041	80-31-18	
C60	- 146585.986	- 53091.190			

\*\*\* 成 果 表 \*\*\*

路線名 = 4-9 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C146	- 146634.777	- 53139.305	55.795	86-29-13	
C61	- 146631.358	- 53083.615			

\*\*\* 成 果 表 \*\*\*

路線名 = 4-10 GO

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C147	- 146619.827 -	53148.494	2.330	129-36- 3	
K.164	- 146621.312 -	53146.699	4.956	146-46-18	
K.163	- 146625.458 -	53143.983	10.427	153-20-45	
C146	- 146634.777 -	53139.305	14.578	153-20-45	
C148	- 146647.805 -	53132.765			

\*\*\* 成果表 \*\*\*

路線名 = 4-11 GO

PAGE- 1

点 名		X		Y	距 離	方 向 角	h
C149	-	146692.977	-	53175.776			
					4.793	154-38- 3	
C67-1	+	0.000	+	0.000			
					10.050	154-38- 3	
C149-1	-	146706.389	-	53169.417			
					15.219	154-51-18	
C150	-	146720.166	-	53162.950			

\*\*\* 成果表 \*\*\*

路線名 = 4-12 G0

PAGE- 1

点 名	X	Y	距 離	方 向 角	h
C151	- 146727.614	- 53116.809	1.672	69-36- 8	
C152	- 146727.031	- 53115.242	2.930	72- 5-26	
C153	- 146726.130	- 53112.454	2.933	75-30-32	
C154	- 146725.396	- 53109.614	2.963	77-34- 4	
C155	- 146724.758	- 53106.720	2.965	78-53-41	
C156	- 146724.187	- 53103.811	2.977	80-39-51	
C157	- 146723.704	- 53100.873	32.229	80-28-33	
C69	- 146718.372	- 53069.088	10.390	80-28-33	
C158	- 146716.652	- 53058.841	15.074	80-21-39	
C159	- 146714.128	- 53043.980	68.168	80-31-18	
C160	- 146702.903	- 52976.743	35.686	80-26-46	
C161	- 146696.980	- 52941.552	9.323	80-22-53	
C6	- 146695.423	- 52932.360			