



1画地

\* \* 座標面積一覽表 \* \*

NO	地番	座標面積	地積	坪数
2	1街区	1780.3364035	1780.33	538.5517
	合計	1780.3364035	1780.33	538.5517

\* \* 座標面積一覽表 \* \*

NO	地番	座標面積	地積	坪数
25	1 LOT	702.5423640	702.54	212.5190
26	2 LOT	100.7882580	100.78	30.4884
27	3 LOT	80.0427340	80.04	24.2129
28	4 LOT	177.8622090	177.86	53.8033
29	5 LOT	242.6743000	242.67	73.4089
30	6 LOT	231.7173765	231.71	70.0945
31	7 LOT	195.3265460	195.32	59.0862
32	8 LOT	24.6715950	24.67	7.4631
22	水路第1号線	24.7170440	24.71	7.4769
	合計	1780.3424265	1780.34	538.5535

1画地

※ ※ 面積計算書 (倍横距法) ※ ※

地点 番名	1街区 X	Y	Δ X	Δ Y	倍横距	倍面積	方向角	内角	距離	区間
K48	-146848.192	-54009.699								
K49	-146846.626	-54007.627	1.566	2.072	2.072	3.244752	52-55-06	200-56-48	2.597	K48 K49
K50	-146844.793	-54001.291	1.833	6.336	10.480	19.209840	73-51-54	178-18-26	6.596	K49 K50
K51	-146838.707	-53982.367	6.086	18.924	35.740	217.513640	72-10-20	180-15-46	19.879	K50 K51
K52	-146834.628	-53969.481	4.079	12.886	67.550	275.536450	72-26-06	180-02-43	13.516	K51 K52
K53	-146832.578	-53962.987	2.050	6.494	86.930	178.206500	72-28-49	178-03-37	6.810	K52 K53
K54	-146830.239	-53956.367	2.339	6.620	100.044	234.002916	70-32-26	187-25-16	7.021	K53 K54
K55	-146829.367	-53952.278	0.872	4.089	110.753	96.576616	77-57-42	169-02-19	4.181	K54 K55
K56	-146827.993	-53949.041	1.374	3.237	118.079	162.240546	67-00-01	184-28-11	3.517	K55 K56
K57	-146826.359	-53944.166	1.634	4.875	126.191	206.196094	71-28-12	180-09-15	5.142	K56 K57
K58	-146822.696	-53933.139	3.663	11.027	142.093	520.486659	71-37-27	180-34-39	11.619	K57 K58
K59	-146820.025	-53924.819	2.671	8.320	161.440	431.206240	72-12-06	181-36-27	8.738	K58 K59
K60	-146817.181	-53915.024	2.844	9.795	179.555	510.654420	73-48-33	181-32-55	10.200	K59 K60
1-6	-146816.024	-53910.597	1.157	4.427	193.777	224.199989	75-21-28	278-11-21	4.576	K60 1-6
1-5	-146836.766	-53908.251	-20.742	2.346	200.550	-4159.808100	173-32-49	265-35-09	20.874	1-6 1-5
1-4	-146848.067	-53967.118	-11.301	-58.867	144.029	-1627.671729	259-07-58	135-14-32	59.942	1-5 1-4
1-3	-146866.736	-53979.889	-18.669	-12.771	72.391	-1351.467579	214-22-30	227-55-17	22.619	1-4 1-3
1-2	-146867.141	-53982.883	-0.405	-2.994	56.626	-22.933530	262-17-47	228-57-43	3.021	1-3 1-2
K47	-146864.496	-53985.898	2.645	-3.015	50.617	133.881965	311-15-30	173-09-12	4.011	1-2 K47
K48	-146848.192	-54009.699	16.304	-23.801	23.801	388.051504	304-24-42	288-30-24	28.850	K47 K48
					倍面積	-3560.672807	合計	3780-00-00	243.709	
					面積	1780.3364035				

※ ※ 面積計算書 (倍横距法) ※ ※

地点 番名	1 LOT X	Y	Δ X	Δ Y	倍横距	倍面積	方向角	内角	距離	区間
1-8	-146827.361	-53947.155								
K57	-146826.359	-53944.166	1.002	2.989	2.989	2.994978	71-28-12	180-09-15	3.152	1-8 K57
K58	-146822.696	-53933.139	3.663	11.027	17.005	62.289315	71-37-27	180-34-39	11.619	K57 K58
K59	-146820.025	-53924.819	2.671	8.320	36.352	97.096192	72-12-06	181-36-27	8.738	K58 K59
K60	-146817.181	-53915.024	2.844	9.795	54.467	154.904148	73-48-33	181-32-55	10.200	K59 K60
1-6	-146816.024	-53910.597	1.157	4.427	68.689	79.473173	75-21-28	278-11-21	4.576	K60 1-6
1-5	-146836.766	-53908.251	-20.742	2.346	75.462	-1565.232804	173-32-49	265-35-09	20.874	1-6 1-5
1-10	-146843.621	-53943.957	-6.855	-35.706	42.102	-288.609210	259-07-58	269-44-25	36.358	1-5 1-10
1-8	-146827.361	-53947.155	16.260	-3.198	3.198	51.999480	348-52-23	262-35-49	16.572	1-10 1-8
					倍面積	-1405.084728	合計	1800-00-00	112.089	
					面積	702.5423640				

1画地

※ ※ 面積計算書 (倍横距法) ※ ※

地点番名	2 LOT	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-15		-146829.871	-53954.642								
K55		-146829.367	-53952.278	0.504	2.364	2.364	1.191456	77-57-42	169-02-19	2.417	1-15 K55
K56		-146827.993	-53949.041	1.374	3.237	7.965	10.943910	67-00-01	184-28-11	3.517	K55 K56
1-7		-146827.839	-53948.582	0.154	0.459	11.661	1.795794	71-28-12	277-27-40	0.485	K56 1-7
1-9		-146843.905	-53945.439	-16.066	3.143	15.263	-245.215358	168-55-52	270-12-06	16.371	1-7 1-9
1-16		-146845.113	-53951.733	-1.208	-6.294	12.112	-14.631296	259-07-58	270-03-43	6.409	1-9 1-16
1-15		-146829.871	-53954.642	15.242	-2.909	2.909	44.338978	349-11-41	268-46-01	15.517	1-16 1-15
						倍面積	-201.576516	合計	1440-00-00	44.716	
						面積	100.7882580				

※ ※ 面積計算書 (倍横距法) ※ ※

地点番名	3 LOT	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-14		-146831.412	-53959.687								
K54		-146830.239	-53956.367	1.173	3.320	3.320	3.894360	70-32-26	187-25-16	3.521	1-14 K54
1-15		-146829.871	-53954.642	0.368	1.725	8.365	3.078320	77-57-42	271-13-59	1.764	K54 1-15
1-16		-146845.113	-53951.733	-15.242	2.909	12.999	-198.130758	169-11-41	269-56-17	15.517	1-15 1-16
1-17		-146846.095	-53956.849	-0.982	-5.116	10.792	-10.597744	259-07-58	269-55-40	5.209	1-16 1-17
1-14		-146831.412	-53959.687	14.683	-2.838	2.838	41.670354	349-03-38	261-28-48	14.955	1-17 1-14
						倍面積	-160.085468	合計	1260-00-00	40.966	
						面積	80.0427340				

※ ※ 面積計算書 (倍横距法) ※ ※

地点番名	4 LOT	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-13		-146835.988	-53973.776								
K52		-146834.628	-53969.481	1.360	4.295	4.295	5.841200	72-26-06	180-02-43	4.505	1-13 K52
K53		-146832.578	-53962.987	2.050	6.494	15.084	30.922200	72-28-49	178-03-37	6.810	K52 K53
1-14		-146831.412	-53959.687	1.166	3.300	24.878	29.007748	70-32-26	278-31-12	3.500	K53 1-14
1-17		-146846.095	-53956.849	-14.683	2.838	31.016	-455.407928	169-03-38	270-04-20	14.955	1-14 1-17
1-4		-146848.067	-53967.118	-1.972	-10.269	23.585	-46.509620	259-07-58	252-00-12	10.457	1-17 1-4
1-13		-146835.988	-53973.776	12.079	-6.658	6.658	80.421982	331-08-10	281-17-56	13.792	1-4 1-13
						倍面積	-355.724418	合計	1440-00-00	54.019	
						面積	177.8622090				

※ ※ 面積計算書 (倍横距法) ※ ※

地点番名	5 LOT	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-12		-146841.909	-53992.325								
K51		-146838.707	-53982.367	3.202	9.958	9.958	31.885516	71-10-20	181-15-46	10.460	1-12 K51
1-13		-146835.988	-53973.776	2.719	8.591	28.507	77.510533	72-26-06	258-42-04	9.011	K51 1-13
1-4		-146848.067	-53967.118	-12.079	6.658	43.756	-528.528724	151-08-10	243-14-20	13.792	1-13 1-4
1-18		-146855.594	-53972.267	-7.527	-5.149	45.265	-340.709655	214-22-30	269-55-47	9.120	1-4 1-18
1-12		-146841.909	-53992.325	13.685	-20.058	20.058	274.493730	304-18-17	306-52-03	24.282	1-18 1-12
						倍面積	-485.348600	合計	1260-00-00	66.665	
						面積	242.6743000				

1画地

面積計算書 (倍横距法)

地点	番名	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-19	6 LOT	-146859.292	-53993.495								
1-21		-146846.899	-53985.011	12.393	8.484	8.484	105.142212	34-23-41	269-54-36	15.019	1-19 1-21
1-18		-146855.594	-53972.267	-8.695	12.744	29.712	-258.345840	124-18-17	270-04-13	15.427	1-21 1-18
1-3		-146866.736	-53979.889	-11.142	-7.622	34.834	-388.120428	214-22-30	227-55-17	13.499	1-18 1-3
1-2		-146867.141	-53982.883	-0.405	-2.994	24.218	-9.808290	262-17-47	228-57-43	3.021	1-3 1-2
K47		-146864.496	-53985.898	2.645	-3.015	18.209	48.162805	311-15-30	173-09-12	4.011	1-2 K47
1-19		-146859.292	-53993.495	5.204	-7.597	7.597	39.534788	304-24-42	269-58-59	9.209	K47 1-19
						倍面積	-463.434753	合計	1440-00-00	60.186	
						面積	231.7173765				

面積計算書 (倍横距法)

地点	番名	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-12	7 LOT	-146841.909	-53992.325								
1-21		-146846.899	-53985.011	-4.990	7.314	7.314	-36.496860	124-18-17	270-05-24	8.855	1-12 1-21
1-19		-146859.292	-53993.495	-12.393	-8.484	6.144	-76.142592	214-23-41	270-01-01	15.019	1-21 1-19
1-20		-146851.207	-54005.298	8.085	-11.803	-14.143	-114.346155	304-24-42	270-19-46	14.306	1-19 1-20
1-11		-146844.610	-54000.723	6.597	4.575	-21.371	-140.984487	34-44-28	217-25-52	8.028	1-20 1-11
1-12		-146841.909	-53992.325	2.701	8.398	-8.398	-22.682998	72-10-20	232-07-57	8.822	1-11 1-12
						倍面積	-390.653092	合計	1260-00-00	55.030	
						面積	195.3265460				

面積計算書 (倍横距法)

地点	番名	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-11	8 LOT	-146844.610	-54000.723								
1-20		-146851.207	-54005.298	-6.597	-4.575	-4.575	30.181275	214-44-28	269-40-14	8.028	1-11 1-20
K48		-146848.192	-54009.699	3.015	-4.401	-13.551	-40.856265	304-24-42	288-30-24	5.335	1-20 K48
K49		-146846.626	-54007.627	1.566	2.072	-15.880	-24.868080	52-55-06	200-56-48	2.597	K48 K49
K50		-146844.793	-54001.291	1.833	6.336	-7.472	-13.696176	73-51-54	178-18-26	6.596	K49 K50
1-11		-146844.610	-54000.723	0.183	0.568	-0.568	-0.103944	72-10-20	322-34-08	0.597	K50 1-11
						倍面積	-49.343190	合計	1260-00-00	23.153	
						面積	24.6715950				

面積計算書 (倍横距法)

地点	番名	X	Y	ΔX	ΔY	倍横距	倍面積	方向角	内角	距離	区間
1-7	水路第1号線	-146827.839	-53948.582								
1-8		-146827.361	-53947.155	0.478	1.427	1.427	0.682106	71-28-12	277-24-11	1.505	1-7 1-8
1-10		-146843.621	-53943.957	-16.260	3.198	6.052	-98.405520	168-52-23	270-15-35	16.572	1-8 1-10
1-9		-146843.905	-53945.439	-0.284	-1.482	7.768	-2.206112	259-07-58	269-47-54	1.509	1-10 1-9
1-7		-146827.839	-53948.582	16.066	-3.143	3.143	50.495438	348-55-52	262-32-20	16.371	1-9 1-7
						倍面積	-49.434088	合計	1080-00-00	35.957	
						面積	24.7170440				

## \* \* 線の間中点計算書 \* \*

	NO	点名	X	Y					
直線 A	101	K51	-146838.707	-53982.367	方向角 (A - B) =	252-10-20	辺長 (A - B) =	19.879	
B	102	K50	-146844.793	-54001.291					
中間点 P 1	268	1-12	-146841.909	-53992.325	距離 L 1 =	10.460	辺長 (A - P 1) =	10.460	
中間点 P 2	269	1-11	-146844.610	-54000.723	距離 L 2 =	8.822	辺長 (A - P 2) =	19.282	

## \* \* 線の間中点計算書 \* \*

	NO	点名	X	Y					
直線 A	101	K51	-146838.707	-53982.367	方向角 (A - B) =	72-26-06	辺長 (A - B) =	13.516	
B	100	K52	-146834.628	-53969.481					
中間点 P 1	270	1-13	-146835.988	-53973.776	距離 L 1 =	9.011	辺長 (A - P 1) =	9.011	

## \* \* 線の間中点計算書 \* \*

	NO	点名	X	Y					
直線 A	98	K54	-146830.239	-53956.367	方向角 (A - B) =	250-32-26	辺長 (A - B) =	7.021	
B	99	K53	-146832.578	-53962.987					
中間点 P 1	271	1-14	-146831.412	-53959.687	距離 L 1 =	3.521	辺長 (A - P 1) =	3.521	

## \* \* 線の間中点計算書 \* \*

	NO	点名	X	Y					
直線 A	97	K55	-146829.367	-53952.278	方向角 (A - B) =	257-57-42	辺長 (A - B) =	4.181	
B	98	K54	-146830.239	-53956.367					
中間点 P 1	272	1-15	-146829.871	-53954.642	距離 L 1 =	2.417	辺長 (A - P 1) =	2.417	

## \* \* 線の間中点計算書 \* \*

	NO	点名	X	Y					
直線 A	188	1-4	-146848.067	-53967.118	方向角 (A - B) =	79-07-57	辺長 (A - B) =	22.075	
B	255	1-9	-146843.905	-53945.439					
中間点 P 1	273	1-17	-146846.095	-53956.849	距離 L 1 =	10.457	辺長 (A - P 1) =	10.457	
中間点 P 2	274	1-16	-146845.113	-53951.733	距離 L 2 =	5.209	辺長 (A - P 2) =	15.666	

## \* \* 線の間中点計算書 \* \*

	NO	点名	X	Y					
直線 A	186	1-3	-146866.736	-53979.889	方向角 (A - B) =	34-22-30	辺長 (A - B) =	22.619	
B	188	1-4	-146848.067	-53967.118					
中間点 P 1	275	1-18	-146855.594	-53972.267	距離 L 1 =	13.499	辺長 (A - P 1) =	13.499	

## \* \* 線の間中点計算書 \* \*

	NO	点名	X	Y					
直線 A	105	K47	-146864.496	-53985.898	方向角 (A - B) =	304-24-42	辺長 (A - B) =	28.850	
B	104	K48	-146848.192	-54009.699					

1 画地

\*\*\* 線の間中点計算書 \*\*\*

	NO	点名	X	Y						
直線 A	105	K47	-146864.496	-53985.898	方向角 (A-B)	=	304-24-42	辺長 (A-B)	=	28.850
B	104	K48	-146848.192	-54009.699						
中間点 P 1	276	1-19	-146859.292	-53993.495	距離 L 1	=	9.209	辺長 (A-P 1)	=	9.209
中間点 P 2	277	1-20	-146851.207	-54005.298	距離 L 2	=	14.306	辺長 (A-P 2)	=	23.515

\*\*\* 線の間中点計算書 \*\*\*

	NO	点名	X	Y						
直線 A	275	1-18	-146855.594	-53972.267	方向角 (A-B)	=	304-18-17	辺長 (A-B)	=	24.282
B	268	1-12	-146841.909	-53992.325						
中間点 P 1	278	1-21	-146846.899	-53985.011	距離 L 1	=	15.427	辺長 (A-P 1)	=	15.427

1画地

※ ※ 二点間距離・方向角計算書 ※ ※

区 間		座 標 (1)		座 標 (2)		方 向 角	距 離	区 間		備 考
(1)	(2)	X	Y	X	Y			(1)	(2)	
1-20	1-11	-146851.207	-54005.298	-146844.610	-54000.723	34-44-28	8.028	1-20	1-11	
1-12	1-18	-146841.909	-53992.325	-146855.594	-53972.267	124-18-17	24.282	1-12	1-18	
1-13	1-4	-146835.988	-53973.776	-146848.067	-53967.118	151-08-10	13.792	1-13	1-4	
1-14	1-17	-146831.412	-53959.687	-146846.095	-53956.849	169-03-38	14.955	1-14	1-17	
1-15	1-16	-146829.871	-53954.642	-146845.113	-53951.733	169-11-41	15.517	1-15	1-16	
1-21	1-19	-146846.899	-53985.011	-146859.292	-53993.495	214-23-41	15.019	1-21	1-19	
1-7	1-9	-146827.839	-53948.582	-146843.905	-53945.439	168-55-52	16.371	1-7	1-9	
1-8	1-10	-146827.361	-53947.155	-146843.621	-53943.957	168-52-23	16.572	1-8	1-10	