

点 名	X	Y	距 離	方 向 角	h
S1	- 146575.928	- 53519.359	5.265	83-21-29	
S2	- 146575.319	- 53514.129	7.271	111-34- 8	
S3	- 146577.992	- 53507.367	3.657	110-47-20	
S4	- 146579.290	- 53503.948	3.969	118-55-42	
S5	- 146581.210	- 53500.474	0.932	123-24- 1	
S6	- 146581.723	- 53499.696	4.802	141-22-59	
S7	- 146585.475	- 53496.699	4.867	150-44-18	
S8	- 146589.721	- 53494.320	6.773	161-25-14	
S9	- 146596.141	- 53492.162	2.891	158-11-28	
S10	- 146598.825	- 53491.088	10.382	162-15-41	
S11	- 146608.713	- 53487.925	5.436	162-45- 6	
S12	- 146613.905	- 53486.313	1.451	164-31-36	
S13	- 146615.303	- 53485.926	1.848	183-13-35	
S14	- 146617.148	- 53486.030	1.479	163-24-57	
S15	- 146618.565	- 53485.608	1.517	80-30-46	
S16	- 146618.315	- 53484.112	2.718	72- 2-42	
S17	- 146617.477	- 53481.526	12.384	72-48-53	
S18	- 146613.818	- 53469.695	3.843	74-25-24	
S19	- 146612.786	- 53465.993	5.182	77-12-39	
S20	- 146611.639	- 53460.940	3.428	81-17-27	
S21	- 146611.120	- 53457.552	2.742	81-51-50	
S22	- 146610.732	- 53454.838	7.926	94-25-43	
S23	- 146611.344	- 53446.936	2.630	157-40-36	
S24	- 146613.777	- 53445.937	2.233	162- 6-31	

*** 成果表 ***

路線名 = MONDEN

PAGE- 2

点 名	X	Y	距 離	方 向 角	h
S24-1	- 146615.902	- 53445.251	5.836	167- 5-58	
S24-2	- 146621.591	- 53443.948	24.136	166- 9-40	
S25	- 146645.026	- 53438.175	13.856	84-41-59	
S26	- 146643.746	- 53424.378	23.694	84-55-30	
S27	- 146641.650	- 53400.777	10.353	84-56- 7	
S28	- 146640.736	- 53390.464	12.167	85-18-50	
S29	- 146639.742	- 53378.338	0.660	177-39-14	
S30	- 146640.401	- 53378.311	1.411	96-50-17	
S31	- 146640.569	- 53376.910	5.359	93-40-11	
S32	- 146640.912	- 53371.562	4.305	90-55- 6	
S33	- 146640.981	- 53367.258	5.448	89-14-34	
S34-1	- 146640.909	- 53361.810	0.803	54- 0-52	
S34-2	- 146640.437	- 53361.160	8.118	200-31-20	
S35	- 146648.040	- 53364.006	1.476	209-48-44	
S36-1	- 146649.321	- 53364.740	1.395	194- 8-45	
S36-2	- 146650.674	- 53365.081	1.598	321-59-23	
S36-3	- 146649.415	- 53366.065	16.197	266- 8-28	
S37	- 146650.505	- 53382.225	15.644	265-20-36	
S38	- 146651.775	- 53397.817	7.801	262-24-47	
S39	- 146652.805	- 53405.550	17.268	180- 4-35	
S40	- 146670.073	- 53405.573	11.500	179-29-49	
S41	- 146681.573	- 53405.472	7.112	179-27- 8	
S42	- 146688.685	- 53405.404	4.061	272-59-34	
S43	- 146688.473	- 53409.459	11.804	268-57- 5	

*** 成 果 表 ***

路線名 = MONDEN

PAGE- 3

点 名	X	Y	距 離	方 向 角	h
S44	- 146688.689	- 53421.261	11.365	173-57-16	
S45	- 146699.991	- 53420.064	5.105	174- 1-45	
S46	- 146705.068	- 53419.533	2.938	182-34-30	
S47	- 146708.003	- 53419.665	0.785	215-46-31	
S48	- 146708.640	- 53420.124	2.377	261-26- 0	
S49	- 146708.994	- 53422.474	5.606	272-20-29	
S50	- 146708.765	- 53428.075	7.198	271-50-21	
S51	- 146708.534	- 53435.269	9.816	271-12- 9	
S52	- 146708.328	- 53445.083	23.995	176-12- 2	
S53	- 146732.270	- 53443.493	7.651	177-29-53	
S54	- 146739.914	- 53443.159	1.568	185- 0-45	
S55	- 146741.476	- 53443.296	16.203	86- 2-49	
S56	- 146740.359	- 53427.132	11.539	176-40-17	
S57	- 146751.879	- 53426.462	50.255	88-14-38	
S58	- 146750.339	- 53376.231	10.792	162- 8-39	
S59	- 146760.611	- 53372.922	22.065	163-15-19	
S60	- 146781.740	- 53366.565	44.849	162-24-43	
S61	- 146824.492	- 53353.013	7.850	235-35- 0	
S62	- 146828.929	- 53359.489	6.643	238- 7-25	
S63	- 146832.437	- 53365.130	10.926	239-19-14	
S64	- 146838.012	- 53374.527	5.567	239-50-16	
S65	- 146840.809	- 53379.340	6.057	245-55-55	
S66	- 146843.279	- 53384.870	3.366	246-32-32	
S67	- 146844.619	- 53387.958	0.359	150-47-25	

点 名	X	Y	距 離	方 向 角	h
S68	- 146844.932	- 53387.783	12.033	247-22-31	
S69	- 146849.561	- 53398.890	11.747	248-22-54	
S70	- 146853.889	- 53409.811	7.792	244- 9- 7	
S71	- 146857.286	- 53416.823	9.637	276-52-17	
S72	- 146856.133	- 53426.391	3.563	278-38- 6	
S73	- 146855.598	- 53429.914	19.997	278-36-18	
S74	- 146852.606	- 53449.686	41.184	278-37-13	
S75	- 146846.433	- 53490.405	21.023	278-42-41	
S76	- 146843.249	- 53511.185	17.996	278-37- 9	
S77	- 146840.552	- 53528.978	10.048	278-42-24	
S78	- 146839.031	- 53538.910	32.205	278-50-16	
S79	- 146834.083	- 53570.733	15.114	278-21-58	
S80	- 146831.884	- 53585.686	14.354	279- 4- 0	
S81	- 146829.622	- 53599.861	13.649	278-43- 9	
S82	- 146827.553	- 53613.352	7.578	279- 3-57	
S83	- 146826.359	- 53620.835	7.632	278-19-28	
S84	- 146825.254	- 53628.387	4.370	281- 9-48	
S85	- 146824.408	- 53632.674	1.387	189-55-27	
S86-1	- 146825.774	- 53632.913	19.727	278-46-46	
S86-2	- 146822.763	- 53652.409	5.016	17-17-36	
S87	- 146817.974	- 53650.918	9.367	58-28-19	
S88	- 146813.076	- 53642.934	17.904	326- 8-41	
S89	- 146798.208	- 53652.908	3.427	233-54- 9	
S90	- 146800.227	- 53655.677	15.653	319-22-24	

点 名	X	Y	距 離	方 向 角	h
S91	- 146788.347	- 53665.869	23.810	324-47-51	
S92	- 146768.891	- 53679.595	9.051	56-33-21	
S93	- 146763.903	- 53672.043	5.626	327-49-27	
S94	- 146759.141	- 53675.039	4.158	48-47-36	
S95	- 146756.402	- 53671.911	12.394	326-38- 8	
S96	- 146746.051	- 53678.727	6.518	51-29-48	
S97	- 146741.993	- 53673.626	30.950	316- 8-15	
S98	- 146719.678	- 53695.072	8.266	316- 4-42	
S99	- 146713.724	- 53700.806	10.211	24-50-54	
S100	- 146704.458	- 53696.515	2.488	319-47-36	
S101	- 146702.558	- 53698.121	1.183	316-22-14	
S102	- 146701.702	- 53698.937	4.392	38-26- 8	
S103	- 146698.262	- 53696.207	1.224	38-26- 0	
S104	- 146697.303	- 53695.446	13.991	37-21-20	
S105	- 146686.182	- 53686.957	8.392	37-15-42	
S106	- 146679.503	- 53681.876	14.072	37-24-32	
S107	- 146668.325	- 53673.327	12.584	37- 5- 2	
S108	- 146658.286	- 53665.739	13.883	40-13-23	
S109	- 146647.686	- 53656.774	12.920	45-22-46	
S110	- 146638.611	- 53647.578	9.145	46-43-57	
S111	- 146632.343	- 53640.919	9.758	46-48-23	
S112	- 146625.664	- 53633.805	11.213	46-46-15	
S113	- 146617.984	- 53625.635	0.327	120-52-25	
S114	- 146618.152	- 53625.354	0.953	72- 9-16	

点 名	X	Y	距 離	方 向 角	h
S115	- 146617.860	- 53624.447	7.141	47-50-17	
S116	- 146613.067	- 53619.154	5.458	57-31-58	
S117	- 146610.137	- 53614.549	7.969	62-51-11	
S118	- 146606.501	- 53607.458	5.941	69-29- 5	
S119	- 146604.419	- 53601.894	28.896	73-36- 5	
S120	- 146596.261	- 53574.173	16.568	74-26-53	
S121	- 146591.819	- 53558.212	5.478	65-15-52	
S122	- 146589.527	- 53553.237	4.338	62-36- 7	
S123	- 146587.531	- 53549.386	3.434	61-26- 5	
S124	- 146585.889	- 53546.370	5.930	54-43-43	
S125	- 146582.465	- 53541.529	7.208	48-33-17	
S126	- 146577.694	- 53536.126	4.095	42-55-20	
S127	- 146574.695	- 53533.337	4.272	35- 2-25	
S128	- 146571.197	- 53530.884	12.458	112-19- 5	
S1	- 146575.928	- 53519.359			