


143.2.15 (真)



\* \* \* \* 8-1 LOT

面積計算書 \* \* \* \* NO 1

点名	X	DX	DMD.1	Y	DY	DMD.2	DX * DMD.2	DY * DMD.1
45-14	- 147380.309			- 53081.806				
45-3	- 147383.859	+ 3.550	+ 3.550	- 53081.567	- 0.239	- 0.239	- 0.848450	- 0.848450
45-7	- 147399.543	+ 15.684	+ 22.784	- 53080.443	- 1.124	- 1.602	- 25.125768	- 25.609216
45-8	- 147401.744	+ 2.201	+ 40.669	- 53082.439	+ 1.996	- 0.730	- 1.606730	+ 81.175324
45-35	- 147401.953	+ 0.209	+ 43.079	- 53090.136	+ 7.697	+ 8.963	+ 1.873267	+ 331.579063
45-38	- 147379.622	- 22.331	+ 20.957	- 53090.885	+ 0.749	+ 17.409	+ 388.760379	+ 15.696793
45-14	- 147380.309	+ 0.687	- 0.687	- 53081.806	- 9.079	+ 9.079	+ 6.237273	+ 6.237273
		+ 22.331			+ 10.442		+ 8.110540	+ 434.688453
		- 22.331			- 10.442		- 416.341327	- 26.457666
							- 408.230787	+ 408.230787

面積 = 204.115393

\* \* \* \* 8-2 LOT

面積計算書 \* \* \* \* NO 1

点名	X	DX	DMD.1	Y	DY	DMD.2	DX * DMD.2	DY * DMD.1
45-35	- 147401.953			- 53090.136				
45-36	- 147402.305	+ 0.352	+ 0.352	- 53103.131	+ 12.995	+ 12.995	+ 4.574240	+ 4.574240
45-37	- 147378.642	- 23.663	- 22.959	- 53103.848	+ 0.717	+ 26.707	- 631.967741	- 16.461603
45-38	- 147379.622	+ 0.980	- 45.642	- 53090.885	- 12.963	+ 14.461	+ 14.171780	+ 591.657246
45-35	- 147401.953	+ 22.331	- 22.331	- 53090.136	- 0.749	+ 0.749	+ 16.725919	+ 16.725919
		+ 23.663			+ 13.712		+ 35.471939	+ 612.957405
		- 23.663			- 13.712		- 631.967741	- 16.461603
							- 596.495802	+ 596.495802

面積 = 298.247901

\* \* \* \* 8-3 LOT

面積計算書

\* \* \* \* NO 1

点名	X	DX	DMD.1	Y	DY	DMD.2	DX * DMD.2	DY * DMD.1
45-36	- 147402.305			- 53103.131				
45-15	- 147402.520	+ 0.215	+ 0.215	- 53111.066	+ 7.935	+ 7.935	+ 1.706025	+ 1.706025
45-29	- 147378.036	- 24.484	- 24.054	- 53111.738	+ 0.672	+ 16.542	- 405.014328	- 16.164288
45-28	- 147378.235	+ 0.199	- 48.339	- 53109.224	- 2.514	+ 14.700	+ 2.925300	+ 121.524246
45-37	- 147378.642	+ 0.407	- 47.733	- 53103.848	- 5.376	+ 6.810	+ 2.771670	+ 256.612608
45-36	- 147402.305	+ 23.663	- 23.663	- 53103.131	- 0.717	+ 0.717	+ 16.966371	+ 16.966371

+ 24.484	+ 8.607	+ 24.369366	+ 396.809250
- 24.484	- 8.607	- 405.014328	- 16.164288
		- 380.644962	+ 380.644962

面積 = ~~190.322481~~  
190.33

\* \* \* 線上計算書 \* \* \* (45-8) - (45-15) NO 1

方向角 = 268-26-51    COS= -0.027093    SIN= -0.999633    修正率 = 1.0000000

点名	観測距離	修正距離	D X	X 配布	D Y	Y 配布	X	Y
45-8							-147401.744	- 53082.439
45-35	7.700	7.700	- 0.209	+ 0	- 7.697	+ 0	-147401.953	- 53090.136
45-36	13.000	13.000	- 0.352	+ 0	- 12.995	+ 0	-147402.305	- 53103.131
45-15	7.938	7.938	- 0.215	+ 0	- 7.935	+ 0	-147402.520	- 53111.066
合計 =	28.638	28.638	- 0.776	+ 0	- 28.627	+ 0	- 0.776	- 28.627

\* \* \* 線上計算書 \* \* \* (45-28) - (45-14) NO 2

方向角 = 94-19-33    COS= -0.075428    SIN= +0.997151    修正率 = 1.0000000

点名	観測距離	修正距離	D X	X 配布	D Y	Y 配布	X	Y
45-28							-147378.235	- 53109.224
45-37	5.391	5.391	- 0.407	+ 0	+ 5.376	+ 0	-147378.642	- 53103.848
45-38	13.000	13.000	- 0.981	+ 1	+ 12.963	+ 0	-147379.622	- 53090.885
45-14	9.105	9.105	- 0.687	+ 0	+ 9.079	+ 0	-147380.309	- 53081.806
合計 =	27.496	27.496	- 2.075	+ 1	+ 27.418	+ 0	- 2.074	+ 27.418

\* \* \* 方向角 · 距離 計算書 \* \* \*

NO	1		X		Y
1	45-35	-	147401.953	-	53090.136
2	45-38	-	147379.622	-	53090.885

NO	2		X		Y
1	45-36	-	147402.305	-	53103.131
2	45-37	-	147378.642	-	53103.848

COS=+ 0.999438 SIN=- 0.033522

COS=+ 0.999541 SIN=- 0.030287

A L= 358- 4-44 L = 22.344

A L= 358-15-52 L = 23.674



\*\*\*\*\* カクヒツ メンセキ シユウケイ ヒヨウ \*\*\*\*\*

カクヒツ . カクヒツ

カクヒツ メンセキ

入ミキリ メンセキ

45 BLOCK

4574.34

1 LOT

142.61

2 LOT

773.22

3 LOT

661.61

4 LOT

255.97

5 LOT

115.48

6 LOT

229.64

7 LOT

256.19

8 LOT

692.68

9 LOT

110.21

10 LOT

555.47

11 LOT

781.23

4 入ミキリ

25.78

5 入ミキリ

2.30

6 入ミキリ

2.17

コウケイ =

4574.31

30.25

\*\*\*\*\* カクヒツ メンセキ ケイザン \*\*\*\*\*

45 BLOCK

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53000.000		
45-11	- 147360.087	- 53170.805		
45-12	- 147352.639	- 53164.118	+ 8991.004395	+ 9861.358266
45-1	- 147348.999	- 53079.512	+ 8041.617882	+ 4185.432168
45-2	- 147380.269	- 53081.809	+ 6382.348728	+ 4008.559191
45-3	- 147383.859	- 53081.567	+ 6860.420931	+ 6547.301523
45-7	- 147399.543	- 53080.443	+ 8119.423881	+ 6745.869537
45-8	- 147401.744	- 53082.439	+ 8184.592592	+ 8206.225377
45-9	- 147403.996	- 53165.536	+ 8573.326244	+ 16842.294784
45-10	- 147401.979	- 53167.780	+ 16881.195744	+ 17448.448880
45-11	- 147360.087	- 53170.805	+ 10081.396860	+ 17418.523095
			+ 82115.327257	+ 91264.012821
	ハイ	メンセキ	= 9148.685564	
	メンセキ		= 4574.342782	

1 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53100.000		
45-18	- 147378.643	- 53169.465		
45-11	- 147360.087	- 53170.805	+ 4173.943455	+ 5568.317615
45-19	- 147352.737	- 53164.206	+ 3734.043285	+ 3857.945922
45-34	- 147378.487	- 53163.530	+ 5039.336322	+ 3350.381610
45-18	- 147378.643	- 53169.465	+ 4996.189790	+ 5452.099455
			+ 17943.512852	+ 18228.744602
	ハイ	メンセキ	= 285.231750	
	メンセキ		= 142.615875	

2 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53100.000		
45-19	- 147352.737	- 53164.206		
45-12	- 147352.639	- 53164.118	+ 3379.739634	+ 3381.390966
45-20	- 147351.370	- 53134.621	+ 3293.741660	+ 1822.414819
45-32	- 147377.710	- 53133.903	+ 2690.397910	+ 1741.597110
45-34	- 147378.487	- 53163.530	+ 2660.944761	+ 4936.916300
45-19	- 147352.737	- 53164.206	+ 3350.381610	+ 5039.336322
			+ 15375.205575	+ 16921.655517
	ハイ	メンセキ	= 1546.449942	
	メンセキ		= 773.224971	

\*\*\*\*\* カクヒツ メンセキ ケイザン \*\*\*\*\*

3 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53100.000		
45-20	- 147351.370	- 53134.621		
45-21	- 147350.309	- 53109.971	+ 1741.747889	+ 512.210270
45-28	- 147378.235	- 53109.224	+ 780.081185	+ 464.050216
45-30	- 147377.682	- 53116.206	+ 716.538768	+ 1267.876410
45-31	- 147377.372	- 53121.041	+ 1253.890632	+ 1634.506962
45-32	- 147377.710	- 53133.903	+ 1635.096110	+ 2623.142916
45-20	- 147351.370	- 53134.621	+ 1741.597110	+ 2690.397910
			+ 7868.951694	+ 9192.184684
		ハイ メンセキ	= 1323.232990	
		メンセキ	= 661.616495	

4 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53000.000		
45-21	- 147350.309	- 53109.971		
45-22	- 147349.850	- 53099.294	+ 5482.054350	+ 4995.381846
45-27	- 147378.789	- 53101.898	+ 7823.274966	+ 5079.615300
45-28	- 147378.235	- 53109.224	+ 7971.990030	+ 8605.649736
45-21	- 147350.309	- 53109.971	+ 5494.950216	+ 8603.581185
			+ 26772.269562	+ 27284.228067
		ハイ メンセキ	= 511.958505	
		メンセキ	= 255.979252	

5 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53000.000		
45-22	- 147349.850	- 53099.294		
45-23	- 147349.243	- 53085.174	+ 4889.534442	+ 4245.923900
45-24	- 147358.387	- 53086.005	+ 4973.054338	+ 4235.144215
45-25	- 147357.132	- 53099.949	+ 4913.637660	+ 5835.722263
45-22	- 147349.850	- 53099.294	+ 4982.457650	+ 5672.864808
			+ 19758.684090	+ 19989.655186
		ハイ メンセキ	= 230.971096	
		メンセキ	= 115.485548	

6 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53000.000		
45-23	- 147349.243	- 53085.174		
45-1	- 147348.999	- 53079.512	+ 4173.440826	+ 3915.409416

\*\*\*\*\* カクヒツ メンセキ ケイサン \*\*\*\*\*

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
45-13	- 147366.375	- 53080.788	+ 5277.609000	+ 3958.531212
45-26	- 147367.237	- 53100.859	+ 5431.942756	+ 6694.516125
45-25	- 147357.132	- 53099.949	+ 5762.276388	+ 6720.270913
45-24	- 147358.387	- 53086.005	+ 5835.722263	+ 4913.637660
45-23	- 147349.243	- 53085.174	+ 4235.144215	+ 4973.054338
			+ 30716.135448	+ 31175.419664
		ハイ メンセキ	= 459.284216	
		メンセキ	= 229.642108	

7 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53000.000		
45-13	- 147366.375	- 53080.788		
45-2	- 147380.269	- 53081.809	+ 6484.771972	+ 5430.072375
45-14	- 147380.309	- 53081.806	+ 6569.998981	+ 6566.485814
45-27	- 147378.789	- 53101.898	+ 6445.412934	+ 8183.326482
45-26	- 147367.237	- 53100.859	+ 6851.315826	+ 7946.579751
45-13	- 147366.375	- 53080.788	+ 6694.516125	+ 5431.942756
			+ 33046.015838	+ 33558.407178
		ハイ メンセキ	= 512.391340	
		メンセキ	= 256.195670	

8 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53000.000		
45-14	- 147380.309	- 53081.806		
45-3	- 147383.859	- 53081.567	+ 6860.169354	+ 6550.564203
45-7	- 147399.543	- 53080.443	+ 8119.423881	+ 6745.869537
45-8	- 147401.744	- 53082.439	+ 8184.592592	+ 8206.225377
45-15	- 147402.520	- 53111.066	+ 8451.646280	+ 11300.299104
45-29	- 147378.036	- 53111.738	+ 8667.146376	+ 11455.379760
45-28	- 147378.235	- 53109.224	+ 8741.822430	+ 8523.404064
45-14	- 147380.309	- 53081.806	+ 8771.670216	+ 6400.092410
			+ 57796.471129	+ 59181.834455
		ハイ メンセキ	= 1385.363326	
		メンセキ	= 692.681663	

9 LOT

テコメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53100.000		
45-15	- 147402.520	- 53111.066		
45-16	- 147402.641	- 53115.521	+ 1135.825306	+ 1591.212920

\*\*\*\*\* カクヒツ メンセキ ケイサン \*\*\*\*\*

デジメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
45-30	- 147377.682	- 53116.206	+ 1205.702322	+ 1663.400046
45-29	- 147378.036	- 53111.738	+ 1264.651416	+ 911.831316
45-15	- 147402.520	- 53111.066	+ 1203.379760	+ 863.546376
			+ 4809.558804	+ 5029.990658
		ハイ	= 220.431854	
		メンセキ	= 110.215927	

10 LOT

デジメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53100.000		
45-16	- 147402.641	- 53115.521		
45-17	- 147403.234	- 53137.416	+ 1602.294914	+ 3840.415656
45-33	- 147377.820	- 53138.104	+ 2911.713120	+ 3933.628336
45-31	- 147377.372	- 53121.041	+ 2948.182688	+ 1637.410620
45-30	- 147377.682	- 53116.206	+ 1634.506962	+ 1253.890632
45-16	- 147402.641	- 53115.521	+ 1663.400046	+ 1205.702322
			+ 10760.097730	+ 11871.047566
		ハイ	= 1110.949836	
		メンセキ	= 555.474918	

11 LOT

デジメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53100.000		
45-17	- 147403.234	- 53137.416		
45-9	- 147403.996	- 53165.536	+ 3891.114336	+ 6765.543424
45-10	- 147401.979	- 53167.780	+ 6683.295744	+ 7048.848880
45-18	- 147378.643	- 53169.465	+ 5330.422540	+ 7083.971235
45-33	- 147377.820	- 53138.104	+ 5405.766300	+ 2996.612872
45-17	- 147403.234	- 53137.416	+ 3933.628336	+ 2911.713120
			+ 25244.227256	+ 26806.689531
		ハイ	= 1562.462275	
		メンセキ	= 781.231137	

4 スミキリ

デジメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53100.000		
45-6	- 147352.949	- 53171.321		
45-11	- 147360.087	- 53170.805	+ 4285.464927	+ 3749.053945
45-12	- 147352.639	- 53164.118	+ 3727.104395	+ 3852.658266
45-6	- 147352.949	- 53171.321	+ 3394.983982	+ 3754.266119
			+ 11407.553304	+ 11355.978330
		ハイ	= 51.574974	
		メンセキ	= 25.787487	

\*\*\*\*\* カクヒツ メンセキ ケイサン \*\*\*\*\*

5 スミキリ

デジメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147300.000	- 53000.000		
45-4	- 147401.686	- 53080.289		
45-7	- 147399.543	- 53080.443	+ 7992.207927	+ 8179.926898
45-8	- 147401.744	- 53082.439	+ 8184.592592	+ 8206.225377
45-4	- 147401.686	- 53080.289	+ 8382.892154	+ 8168.924016
			+ 24559.692673	+ 24555.076291
		ハ <sup>ニ</sup> イ メンセキ =	4.616382	
		メンセキ =	2.308191	

6 スミキリ

デジメイ	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 147400.000	- 53100.000		
45-5	- 147404.053	- 53167.630		
45-9	- 147403.996	- 53165.536	+ 270.249480	+ 265.617408
45-10	- 147401.979	- 53167.780	+ 129.695744	+ 270.848880
45-5	- 147404.053	- 53167.630	+ 274.712340	+ 133.839770
			+ 674.657564	+ 670.306058
		ハ <sup>ニ</sup> イ メンセキ =	4.351506	
		メンセキ =	2.175753	

NO	1	2	3
シシユン テンメイ	B220	B220	B220
ALH.1	188-39-28	188-39-28	188-39-28
カソク テンメイ	B221	B221	B221
カソクカク	85-23-0	85-28-50	85-25-25
キウテン テンメイ	45-28	45-30	45-31
ALH.2	274- 2-28	274- 8-18	274- 4-53
キヨリ	28.013	35.016	39.861
COS & SIN	+ 0.070472 - 0.997514	+ 0.072165 - 0.997393	+ 0.071173 - 0.997464
X1 . Y1 =	-147380.209 - 53081.281	-147380.209 - 53081.281	-147380.209 - 53081.281
DX . DY =	+ 1.974 - 27.943	+ 2.527 - 34.925	+ 2.837 - 39.760
X2 . Y2 =	-147378.235 - 53109.224	-147377.682 - 53116.206	-147377.372 - 53121.041

NO	4
シシユン テンメイ	45-22
ALH.1	5- 8-30
カソク テンメイ	45-25
カソクカク	90- 0- 0
キウテン テンメイ	45-24
ALH.2	95- 8-30
キヨリ	14.000
COS & SIN	- 0.089619 + 0.995976
X1 . Y1 =	-147357.132 - 53099.949
DX . DY =	- 1.255 + 13.944
X2 . Y2 =	-147358.387 - 53086.005

\* \* \* センシヨウ ケイサン \* \* \* (45-12) - (45-1) NO 1

ALH = 87-32-13 COS= +0.042975 SIN= +0.999076 シュウエイ リツ = 0.9997167

デジメ	カンソク キヨリ	シュウエイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-12							-147352.639	- 53164.118
45-20	29.532	29.524	+ 1.269	+ 0	+ 29.497	+ 0	-147351.370	- 53134.621
45-21	24.681	24.674	+ 1.060	+ 1	+ 24.651	- 1	-147350.309	- 53109.971
45-22	10.690	10.687	+ 0.459	+ 0	+ 10.677	+ 0	-147349.850	- 53099.294
45-23	14.137	14.133	+ 0.607	+ 0	+ 14.120	+ 0	-147349.243	- 53085.174
45-1	5.669	5.667	+ 0.244	+ 0	+ 5.662	+ 0	-147348.999	- 53079.512
コウケイ =	84.709	84.685	+ 3.639	+ 1	+ 84.607	- 1	+ 3.640	+ 84.606

\* \* \* センシヨウ ケイサン \* \* \* (45-1) - (45-2) NO 2

ALH = 184-12- 4 COS= -0.997313 SIN= -0.073258 シュウエイ リツ = 1.0001276

デジメ	カンソク キヨリ	シュウエイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-1							-147348.999	- 53079.512
45-13	17.421	17.423	- 17.376	+ 0	- 1.276	+ 0	-147366.375	- 53080.788
45-2	13.929	13.931	- 13.894	+ 0	- 1.021	+ 0	-147380.269	- 53081.809
コウケイ =	31.350	31.354	- 31.270	+ 0	- 2.297	+ 0	- 31.270	- 2.297

\* \* \* センシヨウ ケイサン \* \* \* (45-2) - (45-3) NO 3

ALH = 176- 8-37 COS= -0.997736 SIN= +0.067256 シュウエイ リツ = 0.9994444

デジメ	カンソク キヨリ	シュウエイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-2							-147380.269	- 53081.809
45-14	0.040	0.040	- 0.040	+ 0	+ 0.003	+ 0	-147380.309	- 53081.806
45-3	3.560	3.558	- 3.550	+ 0	+ 0.239	+ 0	-147383.859	- 53081.567
コウケイ =	3.600	3.598	- 3.590	+ 0	+ 0.242	+ 0	- 3.590	+ 0.242

\* \* \* センシヨウ ケイサン \* \* \* (45-8) - (45-9) NO 4

ALH = 268-26-51 COS= -0.027093 SIN= -0.999633 シュウエイ リツ = 0.9997835

デジメ	カンソク キヨリ	シュウエイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-8							-147401.744	- 53082.439
45-15	28.644	28.638	- 0.776	+ 0	- 28.627	+ 0	-147402.520	- 53111.066
45-16	4.458	4.457	- 0.121	+ 0	- 4.455	+ 0	-147402.641	- 53115.521
45-17	21.907	21.902	- 0.593	+ 0	- 21.894	- 1	-147403.234	- 53137.416

45-9 28.136 28.130 - 0.762 + 0 - 28.120 + 0 -147403.996 - 53165.536

コウケイ = 83.145 83.127 - 2.252 + 0 - 83.096 - 1 - 2.252 - 83.097

\* \* \* センシヨウ ケイサン \* \* \* (45-10) - (45-11) NO 5

ALH = 355-52-8 COS= +0.997402 SIN= -0.072039 シュウテイ リツ = 1.0000238

デジメ	カンソク キヨリ	シュウテイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-10							-147401.979	- 53167.780
45-18	23.396	23.397	+ 23.336	+ 0	- 1.685	+ 0	-147378.643	- 53169.465
45-11	18.604	18.604	+ 18.556	+ 0	- 1.340	+ 0	-147360.087	- 53170.805
コウケイ =	42.000	42.001	+ 41.892	+ 0	- 3.025	+ 0	+ 41.892	- 3.025

\* \* \* センシヨウ ケイサン \* \* \* (45-14) - (45-28) NO 6

ALH = 274-19-33 COS= +0.075428 SIN= -0.997151 シュウテイ リツ = 1.0000364

デジメ	カンソク キヨリ	シュウテイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-14							-147380.309	- 53081.806
45-27	20.148	20.149	+ 1.520	+ 0	- 20.092	+ 0	-147378.789	- 53101.898
45-28	7.347	7.347	+ 0.554	+ 0	- 7.326	+ 0	-147378.235	- 53109.224
コウケイ =	27.495	27.496	+ 2.074	+ 0	- 27.418	+ 0	+ 2.074	- 27.418

\* \* \* センシヨウ ケイサン \* \* \* (45-28) - (45-30) NO 7

ALH = 274-31-43 COS= +0.078957 SIN= -0.996878 シュウテイ リツ = 1.0002856

デジメ	カンソク キヨリ	シュウテイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-28							-147378.235	- 53109.224
45-29	2.521	2.522	+ 0.199	+ 0	- 2.514	+ 0	-147378.036	- 53111.738
45-30	4.481	4.482	+ 0.354	+ 0	- 4.468	+ 0	-147377.682	- 53116.206
コウケイ =	7.002	7.004	+ 0.553	+ 0	- 6.982	+ 0	+ 0.553	- 6.982

\* \* \* センシヨウ ケイサン \* \* \* (45-31) - (45-18) NO 8

ALH = 268-29-47 COS= -0.026240 SIN= -0.999656 シュウテイ リツ = 0.9998142

デジメ	カンソク キヨリ	シュウテイ キヨリ	D X	X ハイフ	D Y	Y ハイフ	X	Y
45-31							-147377.372	- 53121.041
45-32	12.868	12.866	- 0.338	+ 0	- 12.862	+ 0	-147377.710	- 53133.903
45-33	4.203	4.202	- 0.110	+ 0	- 4.201	+ 0	-147377.820	- 53138.104
45-34	25.441	25.436	- 0.667	+ 0	- 25.427	+ 1	-147378.487	- 53163.530

45-18      5.938      5.937      -   0.156   +   0      -   5.935   +   0      -147378.643   -   53169.465

コウケイ =   48.450      48.441      -   1.271   +   0      -   48.425   +   1      -   1.271      -   48.424

\* \* \*   センシヨウ   ケイサン   \* \* \*   (45-22 ) - (45-27 )   N O   9

ALH = 185- 8-30      COS= -0.995976      SIN= -0.089619      シュウエイ リツ = 1.0000000

デジメイ	カンソク キヨリ	シュウエイ キヨリ		D X	X ハイ		D Y	Y ハイ	X	Y
45-22									-147349.850	- 53099.294
45-25	7.311	7.311	-	7.282	+ 0	-	0.655	+ 0	-147357.132	- 53099.949
45-26	10.146	10.146	-	10.105	+ 0	-	0.909	- 1	-147367.237	- 53100.859
45-27	11.599	11.599	-	11.552	+ 0	-	1.039	+ 0	-147378.789	- 53101.898

コウケイ =   29.056      29.056      -   28.939   +   0      -   2.603   -   1      -   28.939      -   2.604

N O 1				N O 2				N O 3			
デジメイ		X	Y	デジメイ		X	Y	デジメイ		X	Y
1	45-14	- 147380.309	- 53081.806	1	45-28	- 147378.235	- 53109.224	1	45-30	- 147377.682	- 53116.206
2	45-28	- 147378.235	- 53109.224	2	45-30	- 147377.682	- 53116.206	2	45-31	- 147377.372	- 53121.041
COS=+ 0.075428 SIN=- 0.997151				COS=+ 0.078956 SIN=- 0.996878				COS=+ 0.063984 SIN=- 0.997951			
A L= 274-19-33 L = 27.496				A L= 274-31-43 L = 7.004				A L= 273-40- 7 L = 4.845			

N O 4				N O 5				N O 6			
デジメイ		X	Y	デジメイ		X	Y	デジメイ		X	Y
1	45-31	- 147377.372	- 53121.041	1	45-20	- 147351.370	- 53134.621	1	45-21	- 147350.309	- 53109.971
2	45-18	- 147378.643	- 53169.465	2	45-32	- 147377.710	- 53133.903	2	45-28	- 147378.235	- 53109.224
COS=- 0.026238 SIN=- 0.999656				COS=- 0.999629 SIN=+ 0.027249				COS=- 0.999642 SIN=+ 0.026740			
A L= 268-29-47 L = 48.441				A L= 178-26-19 L = 26.350				A L= 178-28- 4 L = 27.936			

N O 7				N O 8				N O 9			
デジメイ		X	Y	デジメイ		X	Y	デジメイ		X	Y
1	45-22	- 147349.850	- 53099.294	1	45-15	- 147402.520	- 53111.066	1	45-16	- 147402.641	- 53115.521
2	45-27	- 147378.789	- 53101.898	2	45-29	- 147378.036	- 53111.738	2	45-30	- 147377.682	- 53116.206
COS=- 0.995976 SIN=- 0.089620				COS=+ 0.999624 SIN=- 0.027436				COS=+ 0.999624 SIN=- 0.027435			
A L= 185- 8-30 L = 29.056				A L= 358-25-40 L = 24.493				A L= 358-25-40 L = 24.968			

N O 10				N O 11				N O 12			
デジメイ		X	Y	デジメイ		X	Y	デジメイ		X	Y
1	45-17	- 147403.234	- 53137.416	1	45-23	- 147349.243	- 53085.174	1	45-13	- 147366.375	- 53080.788
2	45-33	- 147377.820	- 53138.104	2	45-24	- 147358.387	- 53086.005	2	45-26	- 147367.237	- 53100.859
COS=+ 0.999634 SIN=- 0.027062				COS=- 0.995896 SIN=- 0.090506				COS=- 0.042908 SIN=- 0.999079			
A L= 358-26-57 L = 25.423				A L= 185-11-34 L = 9.182				A L= 267-32-27 L = 20.090			

キコウテン テンメイ N 0 1 45-19

ALH	T1.T2	41-55- 6	358-29-47
SIN	T1.T2	+0.668071	-0.026240
COS	T1.T2	+0.744098	+0.999656

コウカク = T	43-25-19		
COSEC T	+ 1.454830		
テンメイ	X	Y	
1 45-11	- 147360.087	- 53170.805	
2 45-34	- 147378.487	- 53163.530	
X1-2.Y2-1	+ 18.400	+ 7.275	

X1-2*2I1.2	+ 12.2925	- 0.4828	
Y2-1*CO1.2	+ 5.4133	+ 7.2725	
COSEC*S1.2	+ 25.7589	+ 9.8778	

キヨリ S1.S2	9.878	25.759	
-----------	-------	--------	--

テンメイ	X	Y	
1 45-11	- 147360.087	- 53170.805	
DX DY	+ 7.350	+ 6.599	
3 45-19	- 147352.737	- 53164.206	